


# WOOD PELLETS FOR FUEL MADE IN CHINA TRADE BUSINESS



**ARROWFIELD Co., Ltd**

**Koyoen Honjo-cho 5-16, Nishinomiya, Hyogo 662-0015 Japan**

**☎ +81-798-75-1100**

**E-mail : [biomass@arrowfield.co.jp](mailto:biomass@arrowfield.co.jp)**

**<http://www.arrowfield.co.jp/>**



Our company has entered into a business agreement with a major wood pellet manufacturing company in China and sell locally produced wood pellets.

They have obtained ENplus A1, FSC and PEFC certification and manufacture wood pellets for stoves, power plants, and boilers.

Our supplier is working to secure a permanent source of raw materials by planting and cultivating trees in parallel with felling on managed plantations.

They have a track record of exporting wood pellets to Europe and other countries as biomass fuel, so the management system is sufficient.

Our supplier have EU registered trademark: ENERVER. As the first factory in China exported to Europe, they have attracted wide attention and highly praised by clients in Europe.





- ◆ Certification: ENplus A1, BSL, FSC and PEFC certification in China
- ◆ Loading Port : For bulk ship→ Zhangjiagang Port ,China  
For Container→Shanghai Port, China
- ◆ Production Capacity: 20,000 MT/ month  
\*Capable of supplying up to 300,000 MT/ year
- ◆ Track Record: UK, Italy, Slovenia, France, Germany, Denmark and  
other European countries
- ◆ For Delivery with Container
  - ✓ Minimum Order Quantity: 1,000 MT (Accept trial test of 1~2 40 ft HQ Containers)
  - ✓ Packaging: 15kg PP bag or 1 Ton flexible container bag
- ◆ For Delivery with Bulk Ship
  - ✓ Minimum Order Quantity: 10,000 MT ( 1 ship)





## PRODUCT INTRODUCTION

### I2/I3 INDUSTRIAL PELLETS

Wood pellets for power plants or industrial use

Name	Unit	Parameter
Diameter	mm	8mm±1mm
Raw material		Hardwood and cork
ASH	%	≤1.5 / ≤3
Calorific value	Mj/kg'	≥16.5
Moisture	%	≤10
Package		Big bag / Bulk
Standard		I2/I3





## PRODUCT INTRODUCTION

### European Standard Pellets

Name	Unit	Parameter
Diameter	mm	6±1mm
Raw material		PINE
ASH	%	≤0.5
Calorific value	Mj/kg'	≥16.5
Moisture	%	≤10
Package		15kg bag / Big bag
Standard		ENplus A1
USING		Warm oneself

Name	Unit	Parameter
Diameter	mm	6±1m
Raw material		PINE
ASH	%	≤0.70
Calorific value	Mj/kg'	≥ 16.5
Moisture	%	≤10
Package		15kg bag / Big bag
Standard		ENplus A1
USING		Warm oneself





## PRODUCT INTRODUCTION

### Apple wood pellets

Name	Unit	Parameter
Diameter	mm	6±1mm/8mm
Raw material		Apple Wood
ASH	%	≤2.5
Calorific value	Mj/kg'	≥16.5
Moisture	%	≤10
Package		15kg/bag
USEING		BBQ

100% Apple wood pellets are used for outdoor BBQ and smoked meat





## PRODUCT INTRODUCTION

### Bamboo pellets

Name	Unit	Parameter
Diameter	mm	6±1mm/8mm
Raw material		bambo
ASH	%	≤2.5
Calorific value	Mj/kg'	≥17
Moisture	%	≤10
Package		15kg/bag
USEING		BBQ/Warm oneself



Bamboo pellets have a high calorific value, which is 7% -10% higher than wood pellets. They are also suitable for BBQ and making activated carbon.





### FACTORY EQUIPMENT ETC.








## WAREHOUSE AND SHIPPING SCENE





## FACTORY VIDEO





## LOGISTICS PLAN

Loading Port : for bulk ship →Zhangjiagang Port  
for container→Shanghai Port

Storage area: 100,000 square meters

Loading rate: Maximum 3,000 – 5,000 tons/day

Storage capacity: 50,000 tons





## INQUIRY

**ARROWFIELD Co., Ltd.**

**Koyoen Honjo-cho 5-16, Nishinomiya, Hyogo 662-0015 JAPAN**

**☎ +81-798-75-1100**

**✉ [biomass@arrowfield.co.jp](mailto:biomass@arrowfield.co.jp)**

**Please feel free to contact us if you have any questions or unclear points.**

**👉 <https://ssl.arrowfield.co.jp/company%20-%20EN.html>**

**👉 [https://ssl.arrowfield.co.jp/inport\\_EN.html](https://ssl.arrowfield.co.jp/inport_EN.html)**

---